## IN THE CLAIMS:

This listing of claims will replace all prior versions, and listing of the claims in the application.

Claim 1 (currently amended) Use of ER\$\beta\$-selective ligands for production of medicaments A method for regulating fertility with or without an additional use of follicular sex steroids steroid comprising administering a therapeutically effective amount of a ER\$\beta\$-selective ligand to a patient in need thereof.

Claim 2 (currently amended) Use of ERb-selective agonists The method according to claim 1, wherein a therapeutically effective amount of a ERβ-selective agonist is administered for the treatment of female infertility.

Claim 3 (currently amended) The method Use according to claim 2 to support IVF (in vitro fertilization) in connection with in vivo treatment in vitro fertilization.

Claim 4 (currently amended) Use The method according to claim 2, for treatment of females which are suffering from wherein said female infertility is ovarian infertility (PCO syndrome).

Claim 5 (currently amended) Use for treatment of A method for treating ovarian failure associated with aging comprising administering a therapeutically effective amount of a ERβ-selective ligand to a patient in need thereof.

**b**<sup>2</sup>

Claim 6 (currently amended) Use of ER $\beta$ -selective antagonists The method according to claim 1, wherein a therapeutically effective amount of a ER $\beta$ -selective antagonist is administered for ovarian contraception.

Claim 7 (currently amended) Use The method according to claim 6, for inhibiting wherein said method inhibits folliculogenesis.

Claim 8 (currently amended) Use The method according to claim 6, for inhibiting wherein said method inhibits ovulation.

Claim 9 (currently amended) Use The method according to claim 6, for inhibiting wherein said method inhibits preimplantational development of ovulated oocytes.

Claim 10 (currently amended) Use of ERβ selective ligands according to claim 1 for production of medicaments A method for regulating fertility without additional use of a follicular sex steroids steroid comprising administering a pharmaceutical composition comprising a ERβ-selective ligand according to claim 1.

Claim 11 (currently amended) Use of ERB selective ligands according to claim 10 for production of medicaments for regulating fertility without additional use of a The method according to claim 10, wherein said sex steroid is progestin.

Claim 12 (currently amended)  $\underline{A}$  17-Chloro-D-homosteroids  $\underline{homosteroid}$  of  $\underline{general}$  formula I

$$R_1$$
  $C$   $R_2$   $C$   $R_3$   $C$   $R_4$   $C$   $R_1$   $C$   $R_1$   $C$   $R_2$   $C$   $R_3$ 

in which

 $R_1$  means is a hydrogen atom or a  $C_{1-6}$  alkanoyl radical or a benzoyl radical,

R<sub>2</sub> means is a C<sub>1-8</sub> alkyl group,

 $R_3$  means is a hydrogen atom, a  $C_{1-6}$  alkyl radical, a  $C_{1-6}$  alkanoyl radical or a benzoylyl radical, and

R4 means is a hydrogen atom, a  $C_{1-6}$  alkyl radical, a  $C_nF_{2n+1}$  group, in which n=1, 2 or 3, or a  $C \equiv CR_5$  group, in which  $R_5$  is a hydrogen atom, a  $C_{1-6}$  alkyl radical or an unsubstituted or substituted phenyl radical.

Claim 13 (presently amended) <u>A compound</u> Compounds of general formula I according to claim 12-namely selected from:

in which

R<sub>1</sub> means a hydrogen atom or a C<sub>1-6</sub> alkanoyl radical or benzoyl radical,

R<sub>2</sub> means a C<sub>1-6</sub> alkyl group,

 $R_3$  means a hydrogen atom, a  $C_{1-6}$  alkyl radical,  $C_{1-6}$  alkanoyl radical or benzoylyl radical, and

 $R_4$  means a hydrogen atom, a  $C_{1-6}$  alkyl radical, a  $C_nF_{2n+1}$  group, in which n=1,2 or 3, or a  $C \equiv CR_s$  group, in which  $R_5$  is a hydrogen atom, a  $C_{1-6}$  alkyl radical or an unsubstituted or substituted phenyl radical.

12. Compounds of general formula I according to claim 12, namely

India,

17-Chloro-17a $\alpha$ -ethinyl-17a,18a-dinomo-estra-1,3,5(10),16-tetraene-3,17a $\beta$ -diol 17-chloro-17a $\alpha$ -propinyl-17a,18a-dihomo-estra-1,3,5(10),16-tetraene-3,17a $\beta$ -diol 17-chloro-13 $\beta$ -ethyl-17a $\alpha$ -methyl-17a,18a-dinomo-estra-1,3,5(10),16-tetraene-3,17a $\beta$ -diol

 $17a\beta$ -acetoxy-17-chloro-17a $\alpha$ -methyl-17a, 18a-dihomo-estra-1,3,5(10), 16-tetraene-3-ol

17-chloro-17aα-(trifluoromethyl)-17a,18a-dihomo-estra-1,3,5(10),16-tetraene-3,17aβ-diol

62

~ &

17-chloro-17a $\alpha$ -(pentafluoroethyl)-17a,18a-dihomo-estra-1,3,5(10),16-tetraene-3,17a $\beta$ -diol

17-chloro-17a $\alpha$ -methyl-17a $\beta$ -(methoxy)-17a,18a-dihomo-estra-1,3,5(10),16-tetraene-3-ol

17-chlòro-17a-homoestra-1,3,5(10),16-tetraene-3,17aβ-diol

17-chloro-17aα-(trifluoromethyl)-17a-homoestra-1,3,5(10),16-tetraene-3,17aβ-diol

17-chloro-17a $\alpha$ -(pentafluoroethyl)-17a-homoestra-1,3,5(10),16-tetraene-3,17a $\beta$ -diol

17-chloro-1λaα-methyl-17a-homoestra-1,3,5(10),16-tetraene-3,17aβ-diol

17-chloro-17aα-ethyl-17a-homoestra-1,3,5(10),16-tetraene-3,17aβ-diol

17-chloro-17aα-ethinyl-17a-homoestra-1,3,5(10),16-tetraene-3,17aβ-diol

17-chloro-17aα-propinyl-17a-homoestra-1,3,5(10),16-tetraene-3,17aβ-diol

17-chloro-17aα-(trifluoromethyl)-17a-homoestra-1,3,5(10),16-tetraene-3,17aβ-dioldiacetate

17aβ-acetoxy-17-chloro-1χaα-(trifluoromethyl)-17a-homoestra-1,3,5(10),16-tetraene-

17-chloro-17aβ-methoxy-17aα (trifluoromethyl)-17a-homoestra-1,3,5(10),16-tetraene-3-ol

17-chloro-(17a $\alpha$ )-21-(4'-methylsulfonylphenyl)-17a,18a-dihomogona-1,3,5(10),16-tetraen-20-yne-3,17a $\beta$ -diol

17-chloro-(17aα)-21-(phenyl)-13β-methyl-17a-homogona-1,3,5(10),16-tetraen-20-yne-3,17aβ-diol

17-chloro-(17a $\alpha$ )-21-(4'-cyanophenyi)-13 $\beta$ -mèthyl-17a-homogona-1,3,5(10),16-tetraen-20-yne-3,17a $\beta$ -diol

17-chloro-( $17a\alpha$ )-21-(4'-acetylaminophenyl)- $13\beta$ -methyl-17a-homogona-1,3,5(10),16-tetraen-20-yne- $3,17a\beta$ -diol

17-chloro-(17a $\alpha$ )-21-(4'-hydroxyphenyl)-13 $\beta$ -methyl-17a $\lambda$ homogona-1,3,5(10),16-tetraen-20-yne-3,17a $\beta$ -diol.

Claim 14 (currently amended) Process A process for the production of a 17-chloro-D-homosteroids homosteroid of the general formula I according to claim 12,

$$R_1O$$
 $R_2$ 
 $R_4$ 
 $R_1O$ 

comprising converting characterized in that a 17-chloro-1,3,5(10),16-tetraene-17-one of general formula II

(I)

$$R_{1}O$$
 (II)

in which

 $R_1$  means is a hydrogen atom, a  $C_{1-5}$  alkyl radical, a  $C_{1-6}$  alkanoyl radical or a benzoyl radical,

R<sub>2</sub> means is C<sub>1-6</sub> alkyl group,



with a magnesium-organic reagent of general formula BrMg alkyl, BrMg alkenyl or BrMg alkinyl or with acetylene or an alkyl- or aryl-substituted acetylene in the presence of a base bases such as tert-BuOk, or with a lithium-organic compound such as  $LiC_2F_5$ , or with a siliconorganic compound such as trifluoromethyl trimethylsilane into a  $17a\alpha$ -substituted compound of

general formula III,

$$R_{10}$$
 $R_{2}$ 
 $R_{4}$ 
 $R_{4}$ 

(III)

in which

 $R_1$  is a hydrogen atom, a  $C_{1-6}$  alkyl radical, a  $C_{1-6}$  alkanoyl radical or a benzoyl radical,  $R_2$  is a  $C_{1-6}$  alkyl group,

R<sub>3</sub> is a hydrogen atom, a metal atom or a silyl group, and

 $R_4$  is a hydrogen atom, a  $C_{1-6}$  alkyl group, a  $C_nF_{2n+1}$  group, in which n=1, 2 or 3, or a  $C \equiv CR_5$  group, in which  $R_5$  is a hydrogen atom, a  $C_{1-6}$  alkyl radical or an unsubstituted or substituted phenyl radical,

whereby in the case of  $R_5$  = hydrogen, the free 17a $\alpha$ -ethinyl compound of general formula III is further modified by a SONAGASHIRA reaction to form compounds with  $R_5$  =  $C_6H_4R_6$ , in which  $R_6$  stands for a free or substituted hydroxyl group, amino group, thiol group, sulfamate group, sulfonyl group or a  $C_{1-6}$  alkyl group or  $\underline{a}$   $C_{6-12}$  aryl group.

Claim 16. (currently amended) Process The process according to claim 14, wherein said compound compounds of formula III in which R<sub>1</sub> is a C<sub>1-6</sub> alkyl radical, are is converted by ether cleavage into the a free hydroxyl group.

Claim 16. (currently amended) Process The process according to claim 14, wherein said compound compounds of formula II, in which R<sub>1</sub> is an acyl radical, are is converted by ether cleavage into the a free hydroxyl groups.

F3/18

8

SCH-1803

Claim 17. (currently amended) Process The process according to claim 14, wherein said compound compounds of formula II in which R<sub>3</sub> is a hydrogen atom, are is converted into ethers or esters.

Claim 18. (currently amended) A method for Use of the compounds of general formula I according to claim 12 for the production of pharmaceutical agents for contraception in women comprising administering a therapeutically effective amount of a compound of formula I according to claim 12.

Claim 6. (currently amended) A method for Use of the compounds of general formula I according to claim 12 for the production of pharmaceutical agents for contraception in men comprising administering a therapeutically effective amount of a compound of formula I according to claim 12.

Claim 20. (currently amended) Use of the compounds of general formula I according to elaim 12 for the production of pharmaceutical agents A method for treating benign or malignant proliferative diseases of the ovary comprising administering a therapeutically effective amount of a compound of formula I according to claim 12.

Claim 21. (currently amended) Use according to claim 19 for treating The method of claim 20, wherein said malignant proliferative disease is ovarian cancer.

Claim 22. (currently amended) Use according to claim 19 for treating The method of claim 20, wherein said malignant proliferative disease is a granulosa cell tumors tumor.

Claim 23. (previously amended) A pharmaceutical composition Pharmaceutical compositions that contain comprising at least one compound according to claim 12, as well as a pharmaceutically compatible vehicle.

Light

b

35

Claim 24. (previously amended) A pharmaceutical composition Pharmaceutical compositions according to claim 12, which in addition to at least one compound of general formula 1 containing at further comprising least one compound that is selected from the group of a GnRH antagonists, a progesterone receptor antagonists, a mesoprogestins, a gestagens or a tissue-selective gestagens.

Wilds

Claim 25 (new) The method according to claim 2, in connection with an in vivo treatment.

Claim 26(new) The method according to claim 14, wherein said base is tert-BuOK.

Claim  $\frac{2}{1}$  (new) The method according to claim 14, wherein said lithium organic compound is LiC<sub>2</sub>F<sub>5</sub>

D

Claim 28 (new) The method according to claim 14, wherein said silicon-organic compound is trifluoromethyl trimethylsilane.